



- Any of the following:
- Fever
 - Cough
 - Shortness of Breath
 - Nasal Congestion
 - Body Aches/Fatigue
 - Headache



- Any **Aerosolizing Procedures**
- Nebulizer treatment
 - CPAP
 - Intubation
 - SGA (LMA, King, etc.)
 - Suctioning
 - BVM
 - CPR



Patient must be **SOURCE CONTROLLED** by placing a surgical mask on them.
Maintain surgical mask prior to arrival at EMS Triage.
If unable to do so due to facial features or medical procedures, pre-notify receiving facility ahead of time.

Driving?

1. **DON** all appropriate PPE on scene
2. **DOFF** all PPE **EXCEPT** mask **BEFORE** entering ambulance cab
3. Have PPE accessible from **exterior** of the ambulance
4. **DON** appropriate PPE again upon arrival at the hospital

DONNING PPE

1. Gown
2. Mask
3. Goggles
4. Gloves

After EVERY call

1. **Clean and disinfect** ambulance
2. **Do**ff PPE
3. **Clean and disinfect** reusable PPE
4. Appropriately discard disposable PPE
5. Hand hygiene

DOFFING PPE

1. Remove Gloves
2. Remove Gown
3. Hand Hygiene
4. Don Fresh Gloves
5. Remove Goggles
6. Clean and disinfect Goggles (& reusable PPE)
7. Remove Gloves
8. Remove Mask
9. Hand Hygiene

**Agencies may adjust these recommendations based on risk assessment in their area, availability of PPE, or future CDC, WHO, or local health department recommendations.
**This guidance derived from recommendations on CDC.gov on 3/19/2020 & WHO PPE for COVID guidance published 2/27/20.