303 Court Street Little Valley, New York 14755

John R. Searles, County Administrator

Phone: (716) 938-2577 Fax (716) 938-2760 jrsearles@cattco.org

Contingent Fund Balance: \$237,737

The following committees will meet on <u>Wednesday, February 7</u>, at the County Center in Little Valley, New York, at the indicated times:

Labor Relations	4:00 p.m.
Public Works	4:30 p.m.
Human Services	5:15 p.m.
County Operations/Public Safety	5:30 p.m.
Development & Agriculture	5:45 p.m.
Finance	6:00 p.m.

ACT NO. PREFILED RESOLUTIONS 78-18 Mr. Giardini and Mr. Helmich BID ACCEPTANCE FOR BRIDGE STRUCTURAL STEEL (Department of Public Works) 79-18 Mr. Giardini and Mr. Helmich BID ACCEPTANCE FOR CRUSHED STONE, ROCK RIP RAP, CONCRETE CATCH BASINS, PORTLAND CEMENT CONCRETE, FLEXIBLE CONCRETE MATS, GEOTEXTILE FABRIC AND PROCESSED GRAVEL (Department of Public Works) 80-18 Mr. Giardini and Mr. Helmich BID ACCEPTANCE FOR CORRUGATED BEAM GUIDE RAILING, BOX BEAM AND CABLE GUIDE RAILING, BRIDGE AND CULVERT POST, BRIDGE RAILING AND TRANSITION SECTIONS (Department of Public Works) 81-18 Mr. Giardini and Mr. Helmich AUTHORIZING THE CHAIR TO EXECUTE CONTRACT WITH CATTARAUGUS COUNTY SOIL & WATER CONSERVATION DISTRICT FOR CONEWANGO CREEK WATERSHED **OPERATION & MAINTENANCE SERVICES** Ms. Vickman and Mr. Snyder, Jr. 82-18 AUTHORIZING THE CHAIR TO EXECUTE CONTRACT WITH TOTALLY NUTRITIOUS, LLC FOR REGISTERED DIETICIAN SERVICES AT PINES HEALTHCARE AND REHABILITATION CENTER-MACHIAS CAMPUS AND ADJUSTING VARIOUS

APPROPRIATION ACCOUNTS (Department of Nursing Homes)

- Ms. Vickman and Mr. Snyder, Jr.

  APPROVING CONTRACT BETWEEN CATTARAUGUS COUNTY COMMUNITY

  SERVICES BOARD AND HILLSIDE FAMILY OF AGENCIES FOR DEPARTMENT OF

  COMMUNITY SERVICES RESPITE SERVICES
- Ms. Vickman and Mr. Snyder, Jr.

  APPROVING CONTRACT BETWEEN CATTARAUGUS COUNTY COMMUNITY
  SERVICES BOARD AND CATTARAUGUS COUNTY COMMUNITY ACTION, INC. FOR
  DEPARTMENT OF COMMUNITY SERVICES THERAPY AND SUPPORT SERVICES FOR
  MENTAL HEALTH CLINIC, PROS PROGRAM, AFTER HOURS ON-CALL SERVICES
  AND MOBILE TRANSITIONAL SUPPORT TEAM
- Ms. Vickman and Mr. Snyder, Jr.

  APPROVING CONTRACT BETWEEN CATTARAUGUS COUNTY COMMUNITY

  SERVICES BOARD AND CATTARAUGUS REHABILITATION CENTER, INC. FOR

  DEPARTMENT OF COMMUNITY SERVICES RESPITE SERVICES
- Mr. Hale, Mr. Higgins, Mr. Snyder, Jr., Mr. Snyder, Sr., Mr. Giardini, Ms. Hastings, Mr. Koch, Mrs. Labuhn and Mr. Padlo
  SUPPORTING S.7583 AND A.9614 REGARDING EXTENSION OF DEADLINE FOR RECERTIFICATION OF LICENSES TO CARRY OR POSSESS A PISTOL OR REVOLVER UNTIL JULY 31, 2019 AND URGING ADOPTION OF SAME

## **Committee Referrals for February 7, 2018 Committee Meetings**

Act#	Finance	County Ops/Pub Safety	DPW	Human Services	Strategic Planning	Dev & Ag
78	X		Х			
79	Х		X			
80	Х		Х			
81	Х		Х			
82	Х			×		
83	Х			Х		
84	Х			Х		
85	Х			Х		
86	Х	Х				
TOTALS	9	1	4	4	0	0

## BID ACCEPTANCE FOR BRIDGE STRUCTURAL STEEL (Department of Public Works)

Pursuant to Section 103 of the General Municipal Law and Sections 408 and 408-a of the County Law.

- I. WHEREAS, the Clerk of the Legislature was authorized to advertise for sealed bids for the provision of bridge structural steel, according to specifications provided by the Public Works Committee, now, therefore, be it
- I. RESOLVED, that the Commissioner of Public Works is authorized to contract for bridge structural steel with the following bidders recommended by the Public Works Committee for the term March 1, 2018 through February 28, 2019, and be it further
- II. RESOLVED, that any county, city, village, town, school, or fire district in Cattaraugus County may participate in the bid prices by dealing directly with the bidder, and be it further
- III. RESOLVED, that the County of Cattaraugus reserves the right to make purchases of the aforementioned items at any time during the term for which the bids are taken.

## ♦ BRIDGE STRUCTURAL STEEL

Chemung Supply Corp. P.O. Box 527 Elmira, New York 14902

,		Prices are	<u>Per Pound</u>
<u>Index No.</u>	<u>Description</u>	<u>A36</u>	A572 Grade 50
SS-A1	Structural Angles, Channels up to and including 8"		
	0-4000 lbs	\$ .97	\$ .97
	4001 lbs and greater	\$ .97	\$ .97
SS-A2	Structural Angles, Channels over 8" up to and including 15"		
	0-4000 lbs	\$ .97	\$ .97
	4001 lbs and greater	\$ .97	\$ .97
SS-B1	Ship and Car Channel (MC section), 6" to 8"		
	0-4000 lbs	\$1.04	\$1.04
	4001 lbs and greater	·	·
SS-B2	Ship and Car Channel (MC section), over 8" to 18"		
	0-4000 lbs	\$1.04	\$1.04
	4001 lbs and greater	Ψ2.0.	Ψ =
SS-C2	I-Beams Std. – 10" to 36"		
SS-C2a	up to 60' long	\$1.08	\$1.14
SS-C2b	60' and greater	\$1.12	\$1.16
33 628	oo una greater	γ1.1 <b>2</b>	γ1.10

SS-D1	Wide Flange- up to & including 12"		
SS-D1a	up to 60' long	\$ .98	\$ .98
SS-D1b	60' and greater	\$ .98	\$ .98
SS-D2	Wide Flange – 14" to 36"		
SS-D2a	up to 60' long	\$ .96	\$ .96
SS-D2b	60' and greater	\$1.10	\$1.10
SS-D2c	up to 60' long (precambered)	\$1.21	\$1.21
SS-D2d	60' and greater (precambered)	\$1.24	\$1.24
SS-E	H-Piles – all sizes up to and including 14"	\$1.03	\$1.03
SS-H1	Steel Sheet Piling – up to 60' length	<u>A572 Grade 50</u>	A690 Grade 50
SS-H1a	AZ Shapes & Accessories	\$1.02	\$1.02
SS-H1b	PZ Shapes & Accessories	\$ .98	\$ .98

State Line Supply Corp. 1333 East Main Street Bradford, Pennsylvania 16701

		<u>Prices are</u>	<u>Per Pound</u>
Index No.	<u>Description</u>	<u>A36</u>	A572 Grade 50
SS-B1	Ship and Car Channel (MC section), 6" to 8"		
	4001 lbs and greater	\$1.02	\$1.02
SS-B2	Ship and Car Channel (MC section), over 8" to 18"		
	4001 lbs and greater	\$1.02	\$1.02
SS-C1	I-Beams Std. – up to & including 8"		
SS-C1a	up to 60' long	\$ .73	\$ .73
SS-F	Flat Steel Plates, 6' wide x 20' long x 5/16"	\$ .60	\$ .70
	• •		
SS-G	Flat Steel Plates, 4' wide x 8' long, all thicknesses from 1/4" to 1"	\$ .60	\$ .70
SS-I	Concrete Re-Enforcing Bar – Grade 60, sizes No. 3 - No. 8,	A615 Grade 60	
	20 foot lengths	\$ .47	

## No State Bid.

Four sets of specifications were sent out.

Two bids were received.

Resolution Referred to:						
Finance	$\boxtimes$	<b>Human Services</b>				
DPW	$\boxtimes$	Develop. & Ag				
Labor Relations		Strategic Planning				
Co. Operations/Public Safety						

## BID ACCEPTANCE FOR CRUSHED STONE, ROCK RIP RAP, CONCRETE CATCH BASINS, PORTLAND CEMENT CONCRETE, FLEXIBLE CONCRETE MATS, GEOTEXTILE FABRIC AND PROCESSED GRAVEL (Department of Public Works)

Pursuant to Section 103 of the General Municipal Law and Sections 408 and 408-a of the County Law.

- I. WHEREAS, the Clerk of the Legislature was authorized to advertise for sealed bids for the provision of various materials, according to specifications provided by the Public Works Committee, now, therefore, be it
- I. RESOLVED, that the Commissioner of Public Works is authorized to contract for crushed stone, rock rip rap, concrete catch basins, portland cement concrete, flexible concrete mats, geotextile fabric and processed gravel, with the following bidders recommended by the Public Works Committee for the term May 1, 2018 through April 30, 2019, and be it further
- II. RESOLVED, that any county, city, village, town, school, or fire district in Cattaraugus County may participate in the bid prices by dealing directly with the bidder, and be it further
- III. RESOLVED, that the County of Cattaraugus reserves the right to make purchases of the aforementioned items at any time during the term for which the bids are taken.

## **♦** CRUSHED STONE

NEW ENTERPRISE STONE & LIME CO., INC. 500 Como Park Boulevard Buffalo, New York 14227

Per Ton	F.O.B.	Delivered	Delivered	Delivered	Delivered
	Co. Trucks	<u>Northeast</u>	<u>Northwest</u>	<u>Southeast</u>	<u>Southwest</u>
No. 1A	\$20.75				
No. 1 ST					
No. 1	\$19.00				
No. 2	\$15.65				\$24.15
Minus 1 Crusher Run	\$14.00				
Minus 2 Crusher Run	\$11.95				\$20.45
Gabion Stone	\$14.25	\$20.00	\$22.75	\$22.75	\$22.75

\*\*Origin of Stone: Wehrle Drive Quarry, 8615 Wehrle Drive, Williamsville, NY

COUNTY LINE STONE CO., INC. 4515 Crittenden Road P.O. Box 150 Akron, New York 14001

Per Ton	F.O.B.	Delivered	Delivered	Delivered	Delivered
	Co. Trucks	<u>Northeast</u>	<u>Northwest</u>	<u>Southeast</u>	<u>Southwest</u>
No. 1A	\$17.25				
No. 1 ST	\$15.60				
No. 1	\$14.75				
No. 2	\$13.65				
Minus 1 Crusher Run	\$10.75				
Minus 2 Crusher Run	\$ 9.75				
Gabion Stone	\$13.50				
**Origin of Stone: 4515 Crittend	en Road Quarry, i	Akron, NY			

SCHWAB AGGREGATES 10090 Pigeon Hill Road

Delevan, New York 14042

<u>Per Ton</u>	F.O.B. Co. Trucks	Delivered Northeast	Delivered Northwest	Delivered Southeast	Delivered Southwest
No. 1A	·	\$22.75	\$24.50	\$24.90	\$27.70
No. 1 ST					
No. 1		\$20.55	\$22.30	\$22.70	\$25.50
No. 2		\$20.55	\$22.30	\$22.70	
Minus 1 Crusher Run		\$17.45	\$19.20	\$19.60	\$22.40
Minus 2 Crusher Run		\$17.45	\$19.20	\$19.60	
Gabion Stone					

<sup>\*\*</sup>Origin of Stone: Lockport Quarry, 400 Hinman Road, Lockport, NY

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County.

Seven sets of specifications were sent out. Three bids were received.

## ♦ ROCK RIP RAP

NEW ENTERPRISE STONE & LIME CO., INC. 500 Como Park Boulevard Buffalo, New York 14227

<u>FINE</u>	Per Ton	<u>Delivery</u>	<u>Total</u>
Southwest Section	\$15.10	\$8.50	\$23.60
<u>LIGHT</u>	Per Ton	<u>Delivery</u>	<u>Total</u>
Northeast Section	\$14.55	\$5.75	\$20.30
Southeast Section	\$14.55	\$8.50	\$23.05
Northwest Section	\$14.55	\$8.50	\$23.05
Southwest Section	\$14.55	\$8.50	\$23.05
<u>HEAVY</u>	Per Ton	<u>Delivery</u>	<u>Total</u>
Southeast Section	\$23.00	\$10.00	\$33.00
Southwest Section	\$23.00	\$10.25	\$33.25

COUNTY LINE STONE CO., INC.

4515 Crittenden Road

P.O. Box 150

Akron, New York 14001

Per Ton	<u>Delivery</u>	<u>Total</u>
\$12.50	\$8.25	\$20.75
\$12.50	\$11.00	\$23.50
\$12.50	\$10.00	\$22.50
Per Ton	<u>Delivery</u>	<u>Total</u>
\$18.00	\$10.50	\$28.50
\$18.00	\$13.50	\$31.50
\$18.00	\$12.50	\$30.50
\$18.00	\$14.55	\$32.55
Per Ton	<u>Delivery</u>	<u>Total</u>
\$19.00	\$11.00	\$30.00
\$19.00	\$14.00	\$33.00
\$19.00	\$13.00	\$32.00
	\$12.50 \$12.50 \$12.50 Per Ton \$18.00 \$18.00 \$18.00 \$18.00 Per Ton \$19.00 \$19.00	\$12.50 \$8.25 \$12.50 \$11.00 \$12.50 \$10.00 Per Ton Delivery \$18.00 \$10.50 \$18.00 \$13.50 \$18.00 \$12.50 \$18.00 \$14.55 Per Ton Delivery \$19.00 \$11.00 \$19.00 \$14.00

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County.

Six sets of specifications were sent out. Two bids were received.

## ♦ CONCRETE CATCH BASINS - price each, includes delivery

BIHR LANDSCAPE, INC. 211 Westminster Road West Seneca, New York 14224

Frames & Gra	<u>tes - Basin Sizes</u>	<u>Rate</u>
CCB 2424	24" sq. x 24"	\$389.00
CCB 2436	24" sq. x 36"	\$413.00
CCB 2454	24" sq. x 54"	\$478.00
CCB 3036	30" sq. x 36"	\$660.00
CCB 3054	30" sq. x 54"	\$740.00
Risers - 24 inc	nes square (Height)	
CBR 24-6	6 inches	\$144.00
CBR 24-9	9 inches	\$159.00
CBR 24-12	12 inches	\$169.00
CBR 24-24	24 inches	\$249.00
Risers - 30 incl	nes square (Height)	
CBR 30-6	6 inches	\$187.00
CBR 30-12	12 inches	\$334.00
CBR 30-24	24 inches	\$406.00
Extra Grates		
CBG 24	24" x 24"	\$199.00
CBG 30	30" x 30"	\$343.00

## KISTNER CONCRETE PRODUCTS, INC.

P.O. Box 218

East Pembroke, New York 14056-0218

<u>Frames &amp; Grat</u>	<u>tes - Basin Sizes</u>	<u>Rate</u>
CCB 2436W	24" sq. x 36" (8" wall)	\$1,227.00
CCB 2454A	(single knockout) 24" sq. x 54"	\$941.00
CCB 2454W	24" sq. x 54" (8" wall)	\$1,544.00

CCB 2466	24" sq. x 66"	\$676.00
CCB 2472	24" sq. x 72"	\$732.00
CCB 3636	36" sq. x 36"	*\$1,689.00
		**\$1,267.00
CCB 3654	36" sq. x 54"	*\$1,791.00
		**\$1,369.00
CCB 3654L	36" sq. x 54"	*\$1,791.00
	(Large knockouts) 36" sq. x 42" knockouts	**\$1,369.00
CCB 3672	36" sq. x 72"	*\$2,274.00
		**\$1,852.00
Risers - 24 inci	<u>hes square (Height)</u>	
CBR 24-6	6 inches	\$184.00
CBR 24-12	12 inches	\$335.00
CBR 24-24	24 inches	\$442.00
Risers - 36 inci	hes square (Height <u>)</u>	
CBR 36-6	6 inches	No Frame in Top \$221.00
CBR 36-12	12 inches	No Frame in Top \$263.00
CBR 36-24	24 inches	No Frame in Top \$525.00
Extra Grates		
CBG 24	24" x 24"	\$264.00
CBG 36	36" x 36"	\$830.00

<sup>\*</sup> With 36" Sq. Raised Frame

1/2 hour unloading – overtime @ \$130/hour

Prices Below	are for NON-CERTIFIED Units. These Units do not have P.E.	<u>Rate</u>
Stamped Reir	forcing Details or Calculations:	
<u>Frames &amp; Gro</u>	<u>ntes - Basin Sizes —</u>	
CCB 2424	24" sq. x 24"	\$391.00
CCB 2436	24" sq. x 36"	\$414.00
CCB 2454	24" sq. x 54"	\$477.00
CCB 3036	30" sq. x 36"	\$767.00
CCB 3054	30" sq. x 54"	\$856.00
Risers - 24 inc	ches square (Height)	
CBR 24-6	6 inches	\$145.00
CBR 24-12	12 inches	\$170.00
CBR 24-24	24 inches	\$250.00
Risers - 30 inc	ches square (Height)	
CBR 30-6	6 inches	\$187.00
CBR 30-12	12 inches	\$334.00
CBR 30-24	24 inches	\$563.00
JAMESTOW	N MACADAM, INC.	
P.O. Box 518	3	
Celeron, Nev	w York 14720	
Frames & Gro	<u>ntes - Basin Sizes</u>	<u>Rate</u>
CCB 2436A	24" sq. x 36"	\$470.00
Risers - 36 inc	hes square (Height)	
CBR 24-6	6 inches	\$155.00

<sup>\*\* 36&</sup>quot; Sq. Alternate price has a roof slab with 24" sq. ft grate cast flush into roof slab Short load charge \$300.00

CBR 24-12	12 inches	\$230.00
CBR 24-24	24 inches	\$280.00
Extra Grates		
CBG 24	24" x 24"	\$245.00

No State Bid. Eight sets of specifications were sent out. Three bids were received.

## ◆ **PORTLAND CEMENT CONCRETE** - Per cubic yard

JAMESTOWN MACADAM, INC.

P.O. Box 518

Celeron, New York 14720

A = NYSDOT Class "A", General Purpose StructuralA-NWNorthwest Section\$135.00A-SWSouthwest Section\$135.00D = NYSDOT Class "D", Thin Structured ApplicationD-NWNorthwest Section\$140.00D-SWSouthwest Section\$140.00E = NYSDOT Class "E", Structural Slabs and Structural Approach SlabsE-NWNorthwest Section\$137.00E-SWSouthwest Section\$137.00F = NYSDOT Class "F", High Early Strength for Pavement or Structural SlabsF-NWNorthwest Section\$141.00F-SWSouthwest Section\$141.00
A-SW Southwest Section \$135.00  D = NYSDOT Class "D", Thin Structured Application  D-NW Northwest Section \$140.00  D-SW Southwest Section \$140.00  E = NYSDOT Class "E", Structural Slabs and Structural Approach Slabs  E-NW Northwest Section \$137.00  E-SW Southwest Section \$137.00  F = NYSDOT Class "F", High Early Strength for Pavement or Structural Slabs  F-NW Northwest Section \$141.00
D-NW Northwest Section \$140.00 D-SW Southwest Section \$140.00  E = NYSDOT Class "E", Structural Slabs and Structural Approach Slabs  E-NW Northwest Section \$137.00  E-SW Southwest Section \$137.00  F = NYSDOT Class "F", High Early Strength for Pavement or Structural Slabs  F-NW Northwest Section \$141.00
D-SW Southwest Section \$140.00  E = NYSDOT Class "E", Structural Slabs and Structural Approach Slabs  E-NW Northwest Section \$137.00  E-SW Southwest Section \$137.00  F = NYSDOT Class "F", High Early Strength for Pavement or Structural Slabs  F-NW Northwest Section \$141.00
E = NYSDOT Class "E", Structural Slabs and Structural Approach SlabsE-NWNorthwest Section\$137.00E-SWSouthwest Section\$137.00F = NYSDOT Class "F", High Early Strength for Pavement or Structural SlabsF-NWNorthwest Section\$141.00
E-NW Northwest Section \$137.00 E-SW Southwest Section \$137.00 F = NYSDOT Class "F", High Early Strength for Pavement or Structural Slabs F-NW Northwest Section \$141.00
E-SW Southwest Section \$137.00  F = NYSDOT Class "F", High Early Strength for Pavement or Structural Slabs  F-NW Northwest Section \$141.00
F = NYSDOT Class "F", High Early Strength for Pavement or Structural Slabs F-NW Northwest Section \$141.00
F-NW Northwest Section \$141.00
·
F-SW Southwest Section \$141.00
H = NYSDOT Class "H", Pumping Applications
H-NW Northwest Section \$139.00
H-SW Southwest Section \$139.00
HP = NYSDOT Class "HP", High Performance Concrete for Superstructure Slabs and
Structural Approach Slabs
HP-NW Northwest Section \$183.00
ALLOWABLE EXTRA COST - Short load, PER LOAD
S-1 1 cubic yard or less \$ 50.00
S-2 More than 1 CY, = 2 CY \$ 50.00</td
S-3 More than 2 CY, = 3 CY \$50.00</td
S-4 More than 3 CY, = 4 CY \$ 50.00</td
S-5 More than 4 CY, = 5 CY \$ 50.00</td
TC-1 Truck Conveyor (per truck load) \$200.00
<u>ALLOWABLE EXTRA COST – Heated Concrete, PER YARD</u>
HC-1 When Requested \$11.50
ALLOWABLE EXTRA COST – Unloading, PER MINUTE
XC-1 Unloading in excess of 5 minutes per cubic yard \$ 1.50
ALLOWABLE EXTRA COST – Water-Reducing Admixture
· · · · · · · · · · · · · · · · · · ·

HANSON AGGREGATES NEW YORK, LLC

6895 Ellicott Street

Pavilion, New York 14525

Index No.	Description	<u>Rate</u>
A = NYSDOT Clas	s "A", General Purpose Structural	
A-NE	Northeast Section	\$143.00
D = NYSDOT Clas	s "D", Thin Structured Application	
D-NE	Northeast Section	\$150.00
E = NYSDOT Clas	s "E", Structural Slabs and Structural Approach Slabs	
E-NE	Northeast Section	\$143.00
F = NYSDOT Clas	s "F", High Early Strength for Pavement or Structural Slabs	
F-NE	Northeast Section	\$150.00
	s "H", Pumping Applications	
H-NE	Northeast Section	\$146.00
	RA COST - Short load, PER LOAD	
S-1	1 cubic yard or less	\$ 50.00
S-2	More than 1 CY, = 2 CY</td <td>\$ 50.00</td>	\$ 50.00
S-3	More than 2 CY, = 3 CY</td <td>\$ 50.00</td>	\$ 50.00
S-4	More than 3 CY, = 4 CY</td <td>\$ 50.00</td>	\$ 50.00
S-5	More than 4 CY, = 5 CY</td <td>\$ 50.00</td>	\$ 50.00
TC-1	Truck Conveyor (per truck load) Per Hour	\$200.00
	RA COST – Heated Concrete, PER YARD	
HC-1	When Requested (Nov. 15 to April 15)	\$ 11.50
	RA COST – Unloading, PER MINUTE	
XC-1	Unloading in excess of 5 minutes per cubic yard	\$ 1.50
	60 minute Unloading Time - \$90.00/hour thereafter	
	RA COST – Water-Reducing Admixture	
SP-1	When Requested (High Range)(ASTM) Type F	\$ 7.25
WAYNE CONCR	PETE	
262 Route 44		
	Pennsylvania 16748	
Shinglehouse, F	·	Rate
Shinglehouse, F	<u>Description</u>	<u>Rate</u>
Shinglehouse, For the Index No.  A = NYSDOT Class	<u>Description</u> s "A", General Purpose Structural	<del></del>
Shinglehouse, For Index No.  A = NYSDOT Class  A-SE	<u>Description</u> s "A", General Purpose Structural Southeast Section	<u>Rate</u> 138.50
Shinglehouse, Formula index No.  A = NYSDOT Class  A-SE D = NYSDOT Class	<u>Description</u> s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application	138.50
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section	<del></del>
Index No.  A = NYSDOT Clas  A-SE D = NYSDOT Clas  D-SE E = NYSDOT Clas	<u>Description</u> s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs	138.50 143.00
Index No.  A = NYSDOT Clas  A-SE D = NYSDOT Clas  D-SE E = NYSDOT Clas  E-SE	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section	138.50
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs	138.50 143.00 \$142.50
Index No.  A = NYSDOT Clas  A-SE  D = NYSDOT Clas  D-SE  E = NYSDOT Clas  E-SE  F = NYSDOT Clas  F-SE	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section	138.50 143.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications	138.50 143.00 \$142.50 \$146.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section	138.50 143.00 \$142.50
Index No.  A = NYSDOT Clas  A-SE  D = NYSDOT Clas  D-SE  E = NYSDOT Clas  E-SE  F = NYSDOT Clas  F-SE  H = NYSDOT Clas  H-SE  HP = NYSDOT Cl	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and	138.50 143.00 \$142.50 \$146.00
Index No.  A = NYSDOT Class  A-SE  D = NYSDOT Class  D-SE  E = NYSDOT Class  E-SE  F = NYSDOT Class  F-SE  H = NYSDOT Class  H-SE  HP = NYSDOT Cl  Structural Appro	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs	138.50 143.00 \$142.50 \$146.00 \$141.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE HP = NYSDOT Cl Structural Appro	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs Southeast Section	138.50 143.00 \$142.50 \$146.00 \$141.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP-SW	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs Southeast Section Southeast Section Southeast Section Southeast Section	138.50 143.00 \$142.50 \$146.00 \$141.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP-SW ALLOWABLE EXT	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs Southeast Section Southwest Section Southwest Section Southwest Section	138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP-SW ALLOWABLE EXT S-1	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs Southeast Section Southwest Section Southwest Section RA COST - Short load, PER LOAD 1 cubic yard or less	138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP-SW ALLOWABLE EXT S-1 S-2	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs Southeast Section Southwest Section Southwest Section Southwest Section RA COST - Short load, PER LOAD 1 cubic yard or less More than 1 CY, = 2 CY</td <td>138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$110.00</td>	138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$110.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE HP = NYSDOT Cl Structural Appro HP-SE HP-SW ALLOWABLE EXT S-1 S-2 S-3	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs Southeast Section Southwest Section Southwest Section Southwest Section 1 cubic yard or less More than 1 CY, = 2 CY More than 2 CY, </= 3 CY</td <td>138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$ 110.00 \$ 95.00</td>	138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$ 110.00 \$ 95.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP-SW ALLOWABLE EXT S-1 S-2 S-3 S-4	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs Southeast Section Southeast Section Southwest Section Southwest Section 1 Cubic yard or less More than 1 CY, = 2 CY More than 2 CY, </= 3 CY More than 3 CY, </= 4 CY</td <td>138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$ 110.00 \$ 95.00 \$ 95.00</td>	138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$ 110.00 \$ 95.00 \$ 95.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP = NYSDOT Cl Structural Appro HP-SE HP-SW ALLOWABLE EXT S-1 S-2 S-3 S-4 S-5	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs Southeast Section Southwest Section Southwest Section 1 cubic yard or less More than 1 CY, = 2 CY More than 2 CY, </= 3 CY More than 3 CY, </= 4 CY More than 4 CY, </= 5 CY</td <td>\$143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$ 110.00 \$ 95.00 \$ 95.00 \$ 80.00</td>	\$143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$ 110.00 \$ 95.00 \$ 95.00 \$ 80.00
Index No.  A = NYSDOT Class A-SE D = NYSDOT Class D-SE E = NYSDOT Class E-SE F = NYSDOT Class F-SE H = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP = NYSDOT Class H-SE HP-SW ALLOWABLE EXT S-1 S-2 S-3 S-4	Description s "A", General Purpose Structural Southeast Section s "D", Thin Structured Application Southeast Section s "E", Structural Slabs and Structural Approach Slabs Southeast Section s "F", High Early Strength for Pavement or Structural Slabs Southeast Section s "H", Pumping Applications Southeast Section ass "HP", High Performance Concrete for Superstructure Slabs and ach Slabs Southeast Section Southeast Section Southwest Section Southwest Section 1 Cubic yard or less More than 1 CY, = 2 CY More than 2 CY, </= 3 CY More than 3 CY, </= 4 CY</td <td>138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$ 110.00 \$ 95.00 \$ 95.00</td>	138.50 143.00 \$142.50 \$146.00 \$141.00 \$178.00 \$178.00 \$110.00 \$ 110.00 \$ 95.00 \$ 95.00

## <u>ALLOWABLE EXTRA COST – Heated Concrete, PER YARD</u>

HC-1	When Requested	\$ 9.50
ALLOWABL	<u> E EXTRA COST – Unloading, PER MINUTE</u>	
XC-1	Unloading in excess of 5 minutes per cubic yard	\$ 1.58
<u>ALLOWABL</u>	<u> EXTRA COST – Water-Reducing Admixture</u>	
SP-1	When Requested (High Range)(ASTM) Type F	\$ 7.25

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County. Six sets of specifications were sent out. Three bids were received.

## **♦** FLEXIBLE CONCRETE MATS

KISTNER CONCRETE PRODUCTS, INC.

P.O. Box 218

East Pembroke, New York 14056-0218

Mat Index No.	Thickness /Mat Weight	<u>Rate</u>
FC35	4.5" / 2531	*\$1,073.00
FC45	5.5" / 3094	*\$1,216.00
FC70	8.5" / 4781	*\$1,651.00

<sup>\*</sup>Based on full loads of 65000#

Each Mat of flexible concrete is to be 16 ft. by 4 ft. (64 sq. ft.), made up of 3 rows of blocks, with 12 blocks per row (total 36 blocks). These blocks are to be interconnected by Stainless Steel Aircraft Cable type 302, type 1 x 19 Construction

Block Dimensions: shall be or have: General

- A) Base Dimension 15-½" square
- B) Top Dimension 11-1/2" square
- C) Space between blocks:
  - 1) Base 1/2"
  - 2) Top 4-1/2"

No State Bid. Six sets of specifications were sent out. One bid was received.

## **♦ GEOTEXTILE FABRIC**

CHEMUNG SUPPLY CORP. P.O. Box 527 Elmira, New York 14902

WOVEN FABRIC: TerraTex GS/TNS W200 or EqualCost/Square YardLength of Roll – in feet432 feetSquare Yards per Roll600/sq ydDelivered: Cost per Square Yard\$0.390Cost Per Sq. Yd. Picked up at your warehouse\$0.370Manufacturer & ID NameAdvanced Drainage 200WTK

SOUTHERN TIER MUNICIPAL & CONSTRUCTION SUPPLY CO., INC. 1801 Washington Street Jamestown, New York 14701

NON-WOVEN FABRIC: DuPont SF40 or Equal	Cost/Square Yard
Length of Roll – in feet	360 feet
Square Yards per Roll	500/sq yd
Delivered: Cost per Square Yard	\$0.490
Cost Per Sq. Yd. Picked up at your warehouse	\$0.480
Manufacturer & ID Name	Hanes Geo. TerraTex No. 4.5

No State Bid. Eleven sets of specifications were sent out. Four bids were received.

<b>♦</b> PROCESSED GRAVEL	<ul> <li>see next page t</li> </ul>	for listings							
State Bid. These prices	s will be compa	ared with th	ne prices on	State	Contract	and al	litems	will	be
purchased from the sou	rce most benefic	cial to the Co	unty.						
28 sets of specifications	were sent out.	20 bids were	received.						
Resolution Refe	rred to: Human Services	П							
DPW 🗵	Develop. & Ag								
Labor Relations	Strategic Planning								
Co. Operations/Public Safety									

## PROCESSED GRAVEL

## PRICE SUMMARY SHEET

											WASHED PEL TOLD TOLD CO. TIN	1.0.0.
	SAND &	COUNTRY SIDE SAND & GRAVEL	DAN	DAN GERNATT GRAVEL PRODUCTS	GERNATT ASPH. PRODUCTS	T ASPH. UCTS	GERNATT ASPH. PRODUCTS	T ASPH. UCTS	GERNATT ASPH. PRODUCTS	T ASPH.	GERNA	GERNATT ASPH. PRODUCTS
Material: Vendor:>	CRUSHED	CRUSHED / SCREEN	CRUSHEI	CRUSHED / SCREEN	CRUSHED / SCREEN	/ SCREEN	CRUSHED	CRUSHED / SCREEN	CRUSHED	CRUSHED / SCREEN	CRUSHE	CRUSHED / SCREEN
NO. 1A	16.35	12.50	16.00	NB	16.00	08.6	NB	8.00	14.50	NB	16.00	NB
NO. PA 1B	NB	NB	NB	NB	NB	NB	NB	NB	13.75	NB NB	NB	NB
NO. IST	15.05	NB NB	NB	NB	RB BB	NB	NB	NB	13.75	NB NB	NB	NB
NO. 1	16.05	NB	15.45	NB	14.95	10.65	NB	8.85	14.70	11.90	15.45	NB
NO. 1 & 2 MIXED	15.80	NB	15.45	NB	14.95	NB	NB	NB NB	14.70	NB NB	15.45	SE SE
NO. 2	15.80	NB NB	15.45	NB	14.95	12.00	NB	10.15	14.45	NB NB	15.45	NB RB
NO. PA 2A	14.05	NB NB	14.10	NB	12.25	NB	12.25	NB	12.60	NB	14.10	NB
NO.3	NB	NB NB	3A 16.30	BZ BZ	15.20	27.11	NB	9.85	3A 14.45	NB	16.30	ag BB
NO. 4	NB	NB	NB	NB	NB	S S S	NB	NB	NB NB	NB	NB	NB NB
NO. 5	NB	WB.	NB	NB	NB	NB	NB	NB	NB	NB	NB	NB
OVERSIZED (LGR. THAN NO. 5)	15.05 # (2"-8")	(2"-8")	15.75	15.75 (2"-8")	13.20 (2"-8")	(8)	11.10 (2"-8")	2"-8")	12.90 (	12.90 (2"-8")		NB NB
RUN OF BANK GRAVEL: (# - At Deposit)	09'6	09	6	59.6	9.40	0	7.75	75	9.6	09.6		09.6
SAND SUITABLE FOR CONCRETE	11.00	00	П	11.00	11.00	00	NB	8	11.00	00		11.00
SAND SUITABLE FOR ICE & SNOW CONTROL	7.70	0/	4	NB	7.95	5	6.25	55	6.25	52		8.95
MINUS 1" CRUSHER RUN HARDHEADS	\$15.85	.85	\$1	\$16.05	14.65	.5	13.15	15	15.15	15		NB
SUB-BASE MATERIALS	\$12.30	.30	SI.	\$12.65	11.00	00	9.40	01	10.75	75		12.45
BITUMINOUS STABILIZED COURSE	NB	В	4	NB	51.00	00	NB	8	NB	8		NB
ADDITIONAL ITEMS: (see below)	XX	cı .	X	XX2	XX3	3	XX4	74	XXS	3		
DELIVERY CHARGES ##			-	_			-					
0 - 5 MILES (per net ton mile)	3.05	35	3.	3.05	3.05	5	3.05	5	3.05	35		3.05
6 - 15 MILES	.17	7		.17	71.		71.	7	71.	7		.17
16 - 50 MILES	71.	7		.17	71.		71.	7	71.	7		.17
PLANT LOCATION:	8458 ROUTE 62 SOUTH DAYTON	UTE 62 AYTON	TAYLOR	TAYLOR HOLLOW COLLINS, NY	13650 BENZ DRIVE SPRINGVILLE	Z DRIVE VILLE	11860 RT. 16 CHAFFEE	TT. 16 FEE	11216 RT. 98 FREEDOM, NY	RT. 98 0M, NY	191 BR R GOWA	191 BROADWAY ROAD GOWANDA, NY

<sup># -</sup> AT DEPOSIT \* - NYSDOT APPROVED

XXI -MINUS 2" CRUSHER RUN HARDHEADS 15.10 / TON XX2 -MINUS 2" CRUSHER RUN HARDHEADS 15.35 / TON XX3 -MINUS 2" CRUSHER RUN HARDHEADS 13.90 / TON XX4 -MINUS 2" CRUSHER RUN HARDHEADS 12.40 / TON

XX5 -MINUS 2" CRUSHER RUN HARDHEADS 14.45 / TON

## PROCESSED GRAVEL

	PRODUCTS	ASPH.	SCHWAB	SCHWAB AGGREGATES LLC	NEW EN STONE & 1	NEW ENTERPRISE STONE & LIME CO. INC.	SAND &	LITTLE VALLEY SAND & GRAVEL	JAMESTOW	JAMESTOWN MACADAM	JAMESTOV	JAMESTOWN MACADAM
Material: Vendor:>	CRUSHED / SCREEN	SCREEN	CRUSHE	CRUSHED / SCREEN	CRUSHEI	CRUSHED / SCREEN	CRUSHED	CRUSHED / SCREEN	CRUSHED /	/ SCREEN	CRUSHE	CRUSHED / SCREEN
NO. 1A	14.75	10.90	11.25	Mix 1&1A 7.60	14.65	5.00	11.70	NB	15.75	15.75	NB	NB NB
NO. PA 1B	14.20	NB NB	NB	NB	13.90	NB	11.70	NB	14.75	14.75	NB	NB NB
NO. IST	NB BB	SE SE	NB	NB	15.00	NB	11.70	NB	15.75	15.75	NB BB	NB
NO. 1	14.70	10.90	10.50	NB	14.50	00.9	11.50	NB	14.50	14.50	SB.	NB NB
NO. 1 & 2 MIXED	14.70	SB BB	10.50	NB NB	13.50	8.50	11.70	NB	14.50	14.50	NB	NB
NO. 2	14.70	NB NB	9.45	8.00	12.25	8.00	12.30	NB	14.50	14.50	NB	NB
NO. PA 2A	12.40	BB.	NB	NB BB	10.00	NB	10.50	NB	NB NB	NB NB	NB	NB NB
NO. 3	NB	a a	NB	3A Spec 7.90	NB	NB NB	11.50	NB	15.50	15.50	S S	88
NO. 4	NB	NB NB	NB	NB NB	NB NB	NB NB	11.50	NB	NB	NB NB	NB	NB
NO. 5	NB NB	NB NB	NB	NB	NB	NB	NB	NB	SB BB	NB	NB NB	NB
OVERSIZED (LGR. THAN NO. 5)	11.95 (2"-8")	("8	8.40	8.40 (2"-6")		92	11	11.50	12	12.00		12.00
RUN OF BANK GRAVEL	8.00		S	5.75	7	7.85	5.0	5.00	7.	7.50		6.50
SAND SUITABLE FOR CONCRETE	11.00		6	9.35	)i	10.00	.9	6.50	11	11.00	1	11.00
SAND SUITABLE FOR ICE & SNOW CONTROL.	6.25		6	9.35	7	7.00	5.0	5.90	5.	5.25		5.25
MINUS 1" CRUSHER RUN HARDHEADS	14.50			NB	•	NB	Z	NB	12	12.00		12.00
SUB-BASE MATERIALS	10.95		Uncrushe	7.25 Uncrushed 2" Gravel	2	10.00	7.9	7.90	86	8.25		8.25
BITUMINOUS STABILIZED COURSE	NB		E INC.	NB		NB	Z	NB	Z	NB		NB
ADDITIONAL ITEMS: (see below)	XYI		^	XY2				218.30				
DELIVERY CHARGES ##	SEE DELIVERY	VERY										
0 - 5 MILES (per net ton mile)	3.05		: 4		2	2.15	3.0	3.00	3.	3.00	3	3.00
6 - 15 MILES	71.		Deliver @ \$8	Delivery available (@ \$87.00/HR		.15		.16		.18		.18
16 - 50 MILES	71.		Tande	Tandem Rate		.12		91.	7	.18		.18
PLANT LOCATION:	6589 MCDONALD RD GREAT VALLEY	ALD RD	10152 Pig DEL	10152 Pigeon Hill Rd. DELEVAN	8643 Ole I FRANK	8643 Olean Buffalo Rd FRANKLINVILLE	New Albion Rd. LITTLE VALLEY	oion Rd.	Moor	Moore Rd. RANDOLPH	Frew	Frew Run Rd. FREWSBURG

<sup># -</sup> AT DEPOSIT \* - NYSDOT APPROVED

XY1 - MINUS 2" CRUSHER RUN HARDHEADS 13.75 / TON

XY2 - MINUS 2" CRUSHER RUN HARDHEADS 10.00 / TON

Vendor:>	E.F. LIPPERT & CO., INC. I. A. CONSTRUCTION CRUSHED / SCREEN	PERT INC. RUCTION / SCREEN	SAND & I. A. CONS CRUSHED	PORTVILLE SAND & GRAVEL I. A. CONSTRUCTION CRUSHED / SCREEN	UNGER EXCAN CRUSHED	UNGERMANN EXCAVATING CRUSHED / SCREEN	GIARDINI BROS CONST. CO. CRUSHED / SCREEN	I BROS. F. CO. REEN	PERKINS, LLC. CRUSHED / SCREEN	S, LLC.	D & H EXCAVATING INC. CRUSHED / SCREEN	D & H EXCAVATING INC. RUSHED / SCREEN
	9.00	00.6	NB	NB	12.00	6.25	NB	NB	12.50	9.50	11.00	5.75
	14.50	14.50	12.00	12.00	11.50	6.75	NB	NB	12.50	9.50	RN RB	NB
	8.00	8.00	NB	NB	11.25	NB	NB	NB	12.50	9.50	NB NB	NB
	NB	NB	NB	NB	11.25	6.75	14.25	NB	12.50	9.50	8.75	00.9
NO. 1 & 2 MIXED	12.50	12.50	12.00	12.00	11.25	27.7	NB	NB NB	12.00	9.50	9.00	7.25
	11.50	11.50	10.50	10.50	11.25	8.50	14.25	NB	10.50	NB	9.00	7.75
	8.00	8.00	8.00	8.00	NB	NB NB	14.25	NB	12.00	9.50	NB	NB
	11.50	11.50	10.50	10.50	11.25	10.25	14.25	NB NB	12.00	9.50	NB	SB BB
	NB	NB NB	NB	NB	NB BB	NB RB	14.25	NB NB	12.00	9.50	NB	NB NB
	NB	NB	NB	NB	NB	NB	NB	NB	12.00	9.50	NB	NB
OVERSIZED (LGR. THAN NO. 5)	NB NB	8	9	00.9	6	9.25	12.00	00	10.00	00	7.	7.75
RUN OF BANK GRAVEL	00.9	0	.9	00'9	5	5.25	6.75	5.	7.75*	\$*	4	4.75
SAND SUITABLE FOR CONCRETE	8.00	0	Z	NB	6	00.6	NB	3	8.00	00	9.	9.50
SAND SUITABLE FOR ICE & SNOW CONTROL	8.00	0	.9	00.9	5	5.50	6.50	0.	5.00	00	5.1	5.00
MINUS 1" CRUSHER RUN HARDHEADS	NB NB	3	Z	NB	9.	9.75	NB	3	11.50*	*0:	NB NB	8
SUB-BASE MATERIALS	7.50	0	7.	7.50	Screened	5.50 Screened Bankrun	7.25	S	27.7	52	Z	NB
BITUMINOUS STABILIZED COURSE	NB	3	Z	NB	Z	NB	NB	3	NB	3	NB	8
ADDITIONAL ITEMS: (see below)					XYZ#I	Z#1						
DELIVERY CHARGES ##												
0 - 5 MILES (per net ton mile)	5.00	0	5.	5.00	2.1	2.00	5.00	0	3.50	0:	2.40	- 01
	.50		41	.50	7	1.50	2.50	0	18.00	00	.15	5
	.50		31	.50	4.00	00	2.50	0	18.00	00	.14	4
PLANT LOCATION:	4451 S. NINE MILE RD. ALLEGANY	MILE RD.	BARBERT	BARBERTOWN RD. PORTVILLE	BROWN ROAD, MACHIAS Spring Valley Rd, Cuba	BROWN ROAD, MACHIAS ring Valley Rd, Cuba	GARGOYLE RD. ALLEGANY, NY	TLE RD. NY, NY	4343 S. WHALEN RD GREAT VALLEY, NY	ALEN RD LLEY, NY	10811 Route 16 DELEVAN, NY	10811 Route 16 DELEVAN, NY

# - AT DEPOSIT \* - NYSDOT APPROVED

XYZ#1 - 1-1/4" Minus Crushed Bankrun - \$7.50 / TON

PROCESSED GRAVEL CONTINUED:

GRAVEL PITS BIDDING ONLY A FEW ITEMS:

## LITTLE VALLEY SAND & GRAVEL RICKERT PIT - RTE. 242

\$9.00 /CU. YD. RUN OF BANK SUB-BASE MATER.

\$7.00 /CU. YD. \$9.00 /CU. YD. PEASE PIT - RTE. 353 RUN OF BANK SUB-BASE MATER. 0 - 5 MILES PER NET TON MILE 6 - 15 MILES PER NET TON MILE 16 - 50 MILES PER NET TON MILE

# MCEWAN TRUCKING & GRAVEL PRODUCTS, INC. 12370 Sharp St, Springville, NY

\$9.75.70N \$6.50.7TON \$7.15.7TON \$24.00.7TON OVERSIZED STONE 3"-6" RUN OF BANK GRAVEL SUB-BASE MATERIALS SCREENED TOPSOIL

## D & H EXCAVATING, INC.

## "MARTIN ROAD"

\$7.75 / TON \$4.75 / TON \$8.75 / TON \$8.75 / TON \$8.75 / TON \$15.00 / TON \$5.50\* / TON RUN OF BANK
MINUS I "CRUSHER RUN HARDHEADS
MINUS 2"CRUSHER RUN HARDHEADS
SCREINED TOPSOIL
SCREENED TOPSOIL
SUB-BASE MATTERIAL OVERSIZED STONE

## "HIRAM ROAD"

\$7.75 / TON \$4.75 / TON \$8.75 / TON \$8.75 / TON \$8.75 / TON \$8.75 / TON \$15.00 / TON \$5.50 / TON OVERSIZED STONE
RUN OF BANK
MINUS 1" CRUSHER RUN HARDHEADS
MINUS 2"CRUSHER RUN HARDHEADS
CRUSHER RUN HARDHEADS
SCREENED TOPSOIL
SUB-BASE MATTERIAL

\$2.40 .15 0 - 5 MILES PER NET TON MILE 6 - 15 MILES PER NET TON MILE 16 - 50 MILES PER NET TON MILE

WATERBORO GRAVEL 12841 Rt. 394, Randolph, NY OVERSIZED STONE 54.50 / TON SUB-MASE MATTERIAL 54.90 / TON 54.90 / TON

# RICK PERKINS CONTRACTING (PIT LOCATION - LAIDLAW ROAD, FRANKLINVILLE/FARMERSVILLE

\$5.50/TON (\$11.25/CUYD) \$5.00/TON (\$7.50/CUYD) \$5.50/TON (\$7.50/CUYD) \$3.25 0 - 5 MILES PER NET TON MILE 6 - 15 MILES PER NET TON MILE 16 - 50 MILES PER NET TON MILE OVERSIZED STONE (larger than No. 5) RUN OF BANK SUB-BASE MATERIALS

## BIG DOG GRAVEL PRODUCTS (PIT LOCATION – 5157 NORTH ROUTE 62 - CONEWANGO, NY

\$7.50 / TON \$3.95 / TON \$4.85 / TON \$4.85 / TON \$4.85 / TON \$8.50 / TON \$8.50 / TON \$8.25 / TON \$11.00 / CU. YD. UNSCREENED TOPSOIL
STONE AND TOPSOIL VERY LIMITED QUANTITY OVERSIZED STONE RUN OF BANK GRAVEL SUB-BASE MATERIALS #3 UNWASHED STONE

## RICHARD L. PECK CONSTRUCTION INC. (PIT LOCATION – BIRCH RUN ROAD - ALLEGANY, NY)

\$9.00 / CU. YD \$9.00 / CU. YD \$11.00 / CU. YD \$3.05 0 - 5 MILES PER NET TON MILE 6 - 15 MILES PER NET TON MILE 16 - 50 MILES PER NET TON MILE OVERSIZED STONE RUN OF BANK GRAVEL SUB-BASE MATERIALS

## WAYNE GRAVEL PRODUCTS, INC. (PIT LOCATION - CERES TWP., MCKEAN CO., PA)

\$7.50 / TON \$6.35 / TON \$10.75 / TON \$10.75 / TON \$10.00 / TON \$8.60 / TON \$11.25 / TON \$5.25 / TON \$6.35 / TON PA2A UNWASHED CRUSHED GRAVEL
PA2A MODIFIED (2" CUSHED GRAVEL
PA2A UNWASHED SCREENED GRAVEL (2RC)
NO.3 UNWASHED CRUSHED GRAVEL
3"-6" UNWASHED CRUSHED GRAVEL
5"-5" UNWASHED CRUSHED GRAVEL
6" + UNWASHED CRUSHED GRAVEL
6" + UNWASHED SCREENED GRAVEL
6" + UNWASHED SCREENED GRAVEL
5"-5" UNWASHED SCREENED GRAVEL
6" + UNWASHED SCREENED GRAVEL
5" - UNWASHED GRAVEL RUN OF BANK SUB-BASE MATERIAL

\$3.00 0 - 5 MILES PER NET TON MILE 6 - 15 MILES PER NET TON MILE 16 - 50 MILES PER NET TON MILE

## MACHIAS SAND & GRAVEL, INC. (PIT LOCATION - RTE 242, MACHIAS, NY)

\$7.50 /CU.YD. \$6.00\* /CU.YD. \$6.75\* /CU.YD. OVERSIZED STONE: (larger than 5") RUN OF BANK SUB-BASE MATERIAL

## PERKINS LLC. (PIT LOCATION - 4343 S. WHALEN RD. GREAT VALLEY, NY)

NYS DOT ITEM#304 2" CRUSHED STONE 1" CRUSHED SUBBASE UNSCREENED TOPSOIL SCREENED TOPSOIL. 1 1/2" CRUSHED BLACKTOP MILLINGS 2" CRUSHED CONCRETE

\$11.00 / CU, YD, \$12.50 / CU, YD, \$17.00 / CU, YD, \$25.00 / CU, YD, \$17.00 / CU, YD, \$13.50 / CU, YD,

## BID ACCEPTANCE FOR CORRUGATED BEAM GUIDE RAILING, BOX BEAM AND CABLE GUIDE RAILING, BRIDGE AND CULVERT POST, BRIDGE RAILING AND TRANSITION SECTIONS (Department of Public Works)

Pursuant to Section 103 of the General Municipal Law and Sections 408 and 408-a of the County Law.

- I. WHEREAS, the Clerk of the Legislature was authorized to advertise for sealed bids for the provision of various materials, according to specifications provided by the Public Works Committee, now, therefore, be it
- I. RESOLVED, that the Commissioner of Public Works is authorized to contract for corrugated beam guide railing, box beam and cable guide railing, bridge and culvert post, bridge railing and transition sections with various vendors, as recommended by the Public Works Committee for the term March 1, 2018 through February 28, 2019, and be it further
- II. RESOLVED, that any county, city, village, town, school, or fire district in Cattaraugus County may participate in the bid prices by dealing directly with the bidder, and be it further
- III. RESOLVED, that the County of Cattaraugus reserves the right to make purchases of the aforementioned items at any time during the term for which the bids are taken and to require suitable bond to guarantee delivery.

CHEMUNG SUPPLY CORP. P.O. Box 527 Elmira, New York 14902

## **CORRUGATED BEAM GUIDE RAILING & ACCESSORY HARDWARE**

Index No.	<u>Description:</u>	<b>Quantity</b>	<u>Amount</u>
GR-01	Galvanized W-Beam rail; 13 feet 6 1/2 inches	each	\$ 76.12
	in length by 12 1/4 inches in height by 3 ¼ inches in width; 8 standard splice bolt slots on each end; std. post bolt slots at 3		
	feet 1 1/2 inch O.C.; .105 inches thick		
GR-02	Galvanized W-Beam rail; as above except standard post bolt	each	\$ 74.98
	slots 6 feet 3 inch O.C.		
GR-03	Galvanized W-Beam Rail; Shop bent radius (R); as above with		
	standard post bolt slots 6 feet 3 inch O.C.; state maximum		
	(a) 10 feet to 19 feet radius	each	\$103.50
	(b) 20 feet to 39 feet radius	each	\$ 96.60
	(c) 40 feet to 200 feet radius	each	\$ 94.30
GR-04	Galvanized W-Beam rail; as above with standard post bolt slots	each	\$ 89.70
	6 feet 3 inch O.C.; with 10 (1 inch dia.) at 3 inch O.C. on one end		
	for mounting to standard concrete anchor		
GR-05	Galvanized W-Beam rail; as above shop bent, twisted and bored		\$109.25
	for mounting to concrete anchor within one section for typical		
	driveway installations		
GR-06	Galvanized Rounded End Section (Single Sided)		\$ 36.80
GR-06A	Galvanized Rounded End Section (Double Sided)		\$ 51.75
GR-07	Galvanized Flared End Section	each	\$ 27.02
GR-05 GR-06 GR-06A	Galvanized W-Beam rail; as above with standard post bolt slots 6 feet 3 inch O.C.; with 10 (1 inch dia.) at 3 inch O.C. on one end for mounting to standard concrete anchor Galvanized W-Beam rail; as above shop bent, twisted and bored for mounting to concrete anchor within one section for typical driveway installations Galvanized Rounded End Section (Single Sided) Galvanized Rounded End Section (Double Sided)	each	\$ 89.70 \$109.25 \$ 36.80 \$ 51.75

GR-08	Galvanized Terminal Connector Parapet	each	\$ 29.90
GR-09	5/8 inch x 1 inch Galvanized splice bolts with 5/8 inch by 7/8	per 100	\$ 74.75
GIV 05	inch oval shoulder including oversize nut (1¼ inch across flats) as	pc: 100	γ / 4.73
	per NYSDOT dwg. M606-6		
GR-10	5/8 inch diameter x 1½ inch Galvanized hex head bolts with nuts	per 100	\$115.00
	and flat washers for mounting block-outs to heavy posts as per	p = 1 = 2 = 2	7
	NYSDOT dwg. 606-8R1		
GR-10W	5/8 inch diameter x 10 inch Galvanized hex head bolt with nut	each	\$ 2.18
	and flat washer for mounting the railing and wooden offset		
	beam to heavy post as per NYSDOT dwg. M606-8R3		
GR-11	Rectangular flat plate washers as per NYSDOT dwg. 606-8R1	per 100	\$201.25
GR-12	Back up plate as per NYSDOT dwg. M606-50	each	\$ 5.98
GR-13	5/8 inch diameter x 2 inch Galvanized Button head bolts with	per 100	\$172.50
	nuts & flat washers for mounting "W-beam" to heavy post block		
	outs		
GR-14	Turn down post mounting brackets. Set consists of one each of	per set	\$115.00
	type "A", "B", and "C" brackets as per NYSDOT dwg. M606-9R2		
GR-15	W6 x 9 heavy post, 6 foot 0 inches long with soil plate and 6,	each	\$ 68.73
	3/4" holes as per NYSDOT dwg. M606-8R3		
GR-15A	W6 x 9 heavy post, 7 foot 4 inches long, with soil plate and 6,	each	\$ 82.80
00.46	3/4" holes as per NYSDOT dwg. M606-8R3		4 22 24
GR-16	W6 x 9 standard heavy post, 6 foot 0 inches long, without soil	each	\$ 38.81
CD 17	plate as per NYSDOT dwg. M606-8R3	l-	ć 14.0F
GR-17	W6 x 8.5 or W6 x 9 by 14 inch offset beam (block-out) as per	each	\$ 14.95
GR-17W	NYSDOT dwg. 606-8R1 Wooden 6" x 8" x 14 ½" Offset Block	each	\$ 10.06
GR-17VV GR-17P	Plastic 6 inch x 8 inch x 14 ½ inch offset block	each	\$ 10.00
GR-17P GR-18	5/16 inch diameter by 1½ inch hex head Galvanized Bolts with	per 100	\$ 4.65 \$ 74.75
GIV-10	nuts, Detail "M" square washer, and Flat washers for mounting	per 100	Ş 74.73
	guide rail to weak Posts as per NYSDOT dwg. M606-6		
GR-18A	5/16 inch diameter by 2 3/8 inch Hex Bolt with Two "M"	per 100	\$161.00
GN 10A	washers, two nuts & one flat washer as Per NYSDOT dwg. M606-	pc1 100	<b>Ψ101.00</b>
	51		
GR-19	S3 x 5.7 Universal Weak post, 5 foot 3 inches long, with soil plate	each	\$ 43.12
	as per NYSDOT dwg. M606-6		, -
GR-19A	S3 x 5.7 Universal Weak post, 7 foot 0 inches long with soil plate	each	\$ 56.06
	as per NYSDOT dwg. M606-6		•
GR-19B	S3 x 5.7 Universal Weak post, 5 foot 5 inches long, with soil	each	\$ 43.70
	plate as per NYSDOT dwg. M606-50		
GR-20	Concrete anchor with galvanized nuts and washers per NYSDOT	each	\$460.00
	dwg. M606-6		
GR-21	Ground Bearing angle set consisting of two L4 x 3 x ¼ angles 8"	per set	\$ 38.52
	long and two ¾" x 4 ½" hex bolts with nut & 2 flat washers		
GR-22	1/2 inch by 1½ inch Hex Bolt with 2 nuts for W-Beam support on	per 100	\$ 86.25
	S3 x 5.7 post		
GR-23	W6 x 15 Barricade Post, 8 foot 0 inches long	each	\$161.00
GR-23B	W6 x 15 Barricade Post, 9 foot 4 inches long as per NYSDOT dwg.	each	\$247.25
	M630-1		
GR-24	3/4" diameter x 1 foot 6 inches long, Galvanized Anchor Bolts,	each	\$ 7.70
	with a minimum of 4" threading, with two nuts and one flat		
	washer as per NYSDOT dwg. M630-1		
DOV DEAS	9 CARLE CHIRE DAIL AND ACCOCIATED HARRIAGE		
	& CABLE GUIDE RAIL AND ASSOCIATED HARDWARE	l loit	Amat
Index No.	Description:	<u>Unit</u>	<u>Amount</u>
<u>CABLE GUII</u>	<u>DE RAILING</u> : DRAWINGS 606-1R2 & 606-2R2		
CG-81	Concrete Anchors with breakaway angle, hardware and two (2)	each	\$614.16
	top mounted independent rebar lift points; as per NYSDOT dwg.		

606-1R2

	0U0-1K2		
CG-81A	Two piece Concrete Anchor with hardware as per NYSDOT dwg. M606-2R1	each	\$862.50
CG-82	Spring and Turnbuckle Cable End Assembly, with compensating device; NYSDOT dwg. M606-2R1 Detail "B"	each	\$138.00
CG-83a	Cable End Assembly to Anchor, as per NYSDOT dwg. M606-2R1	each	\$ 41.40
CG-84	S3 x 5.7 Universal Weak Post with soil plate, 5'5" length	each	\$ 43.70
CG-85	End Post Cap with bolt; as per NYSDOT dwg. M606-IR2	each	\$ 33.92
CG-85a	Anchor Post Assembly - Complete as per NYSDOT dwg. M606-2R1	each	\$240.35
CG-86	Driveway End Post Cap with bolt; as per NYSDOT dwg. 606-2R2	each	\$ 32.77
CG-87	Ground Bearing Angles assembly; as per NYSDOT dwg. 606-1R2	each	\$ 38.52
CG-88	Hook Bolt with shoulder & nut or 2 nuts; NYSDOT dwg. M606-1R2	each	\$ .71
CG-89	Reflective Delineator with mounting hardware, dwg. M606.1R1;	each	\$ 5.17
CG-91	Spare Wedges for all splices and cable fittings, dwg. M606.1R1;	each	\$ 2.58
CG-92	Cable clamp for ¾" cable	each	\$ 5.40
CG-93	3/1" Brass Bent Road	each	\$ 9.89
CG-95	3/16" Brass Keeper Pin for Anchor Angle	each	\$ 3.50
CG-96	Bent PL. Cable Anchor Angle 606-01(GR)	each	\$115.00
CG-97	Cable Block Slip Base S3x7 5# Stub	each	\$114.42
CG-98	S3x5.7" Top Slip Anchor Post (6" Cable Spacing)	each	\$107.23
CG-99	1/2" x 2" Bolt, Nut, 3 Flat Washer A307	each	\$ 1.43
BOX BEAM	<b>GUIDE RAILING:</b> DRAWING 606-3R4, M606-3, M606-4		
BB-100	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch straight,	each	18' - \$281.75
	lengths of 18', 24', 30' or 36 feet;		24' - \$363.40
			30' - \$483.00
BB-101	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve,	each	36' - \$548.50 18' - \$300.15
	205' radius, lengths 18 ft. or 24 feet;		24' - \$374.90
BB-102	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve, radius 20 ft. To 200 ft., lengths of 12', 18', 24', 30 and 36 feet;	/foot	\$ 23.00
BB-103	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve, radius under 20 feet; lengths of 12', 18', 24' and 30 feet;	/foot	\$ 65.55
BB-104	Box Beam Type I end section, approximately 7 1/2 feet long;	each	\$207.00
BB-105	S3 x 5.7, 3'11" in length, Anchor Post for Type I end, with special end shelf angle, two 1/2" x 1 1/2" hex bolts w/nut & flat washer and one 3/4" x 8" hex bolt w/nut & flat washer;	each	\$ 69.86
BB-105a	5" x 3 1/2" x 3/8" x 4 1/2" long 2" x 5/8" slot driveway shelf angle	each	\$ 7.87
BB-105b	¾" x 8" Hex Bolt w/nut & 2 flat washers	each	\$ 4.60
BB-106	Box Beam Type II end section, approximately 9 feet long;	each	\$234.60
BB-107	Two S3 x 5.7, 2'9" long, Anchor posts for Type II end, with 3/8" x 9 1/2" hex bolt w/nut & 2 flat washers;	each	\$ 69.00
BB-107a	3/8" x 9 1/5" Hex Bolt w/nut & 2 flat washers	each	\$ 4.60
BB-108	Straight splice plate pair with eight 3/4" x 1 1/2" A325 hex bolts	/pair	\$ 65.83
-	and F844 Type A flat washers;		,
BB-108a	3/4" x 1 1/2" Hex Bolt (splice plate bolts)	/pair	\$ 1.21
BB-109	Angled Splice Plate pair with eight 3/4" x 1 1/2" A325 hex bolts	/pair	\$ 69.28

	and F844 Type A flat washers; (specify 2, 4, or 6 degree angle);		
BB-110	Standard shelf angle:	each	\$ 6.21
BB-111	Hex Bolt 3/8" x 7 1/2" w/nut & 2 flat washers	each	\$ 1.09
BB-112	Hex Bolt 1/2" x 1 1/2" w/nut & flat washer;	each	\$ .8
BB-113	S3 x 5.7 Universal Weak Post 5' 5" length;	each	\$ 43.70
BB-294	Complete BEAT roadside terminal system	each	\$3,220.00
BRIDGE & (	CULVERT; POSTS, RAILINGS & TRANSITIONS		
<u>Index No.</u>	DESCRIPTION:	<u>Unit</u>	<u>Amoun</u>
	ons are in millimeters (mm) unless otherwise noted.		
	BD-RS1/R3 THROUGH RS8/R3 –	40	
RS-120	Galvanized 127 x 76 x 6.4 Top Railing of Four Rail System, with both ends turned down to Third Rail (BD-RS4/R3)	/foot	\$ 34.50
RS-121	Galvanized 127 x 76 x 6.4 Bottom Railing of Four Rail System, with 1.5 m., 15 deg. flared section both ends	/foot	\$ 36.80
RS-122	Galvanized 152 x 152 x 4.8 Center Railing of Four Rail System	/30 ft	\$492.2
RS-123	Galvanized 152 x 152 x 4.8 Top Transition Rail with square end, 6.90 m. long	each	\$414.00
RS-124	Galvanized $152 \times 152 \times 4.8$ Bottom Transition Rail with beveled end for turn back splice, 7.09 m. long.	each	\$432.4
RS-125	Galvan. 152 x 152 x 4.8 Turn Back Rail with end cap, 2.7 m. long.	each	\$188.6
RS-126	Galvanized Turn Back Splice Tube, with 5.33 deg. drop angle.	each	\$162.7
RS-127	203 x 152 x 6.4 Galvanized Block Out Tube, 150 mm. long.	each	\$ 23.0
RS-128	Galvanized Bridge Post for Four Rail curbless System, 1.06 m. in height.	each	\$299.0
RS-128A	Galvanized Bridge Post for Three Rail curbless system, 830 mm in height	each	\$261.0
RS-128B	Galvanized Bridge Post for Two Rail curb type system, 680 mm in height	each	\$239.2
RS-129	Galvanized 350 x 10 x 250 Anchor Plate	each	\$ 37.3
RS-130	Galvanized 127 x 127 x 7.9 Expansion Splice Tube, 900 mm long.	each	\$142.6
RS-131	Galvanized 127 x 127 x 7.9 Fixes Splice Tube, 685 mm long	each	\$114.4
RS-132	Galvanized 108 x 54 x 900 Expansion Splice Bar	each	\$169.0
RS-133	Galvanized 108 x 54 x 685 Fixed Splice Bar	each	\$124.2
RS-134	Galvanized L127 x 127x 15.9 Railing Angle, 154 mm. long.	each	\$ 17.8
_	dimensions are in INCHES (in) unless otherwise noted.  BD-RL3E THRU RL5E		
RS-150	Galvanized 6 x 6 x 3/16 Bridge Railing	/foot	\$ 16.3
RS-151	Galvan. W6 x 25 Bridge Post for Curbless application, 34" height.	each	\$210.4
RS-152	Galvanized 9" x 1/2" x 12" Anchor Plate with four tach weld nuts for 1" galvanized NC thread.	each	\$ 73.8
RS-153	Galvanized 8" x 6" x 1/4" Block Out Tube, 6" length.	each	\$ 23.0
RS-154	Galvanized $5 \times 5 \times 5/16$ " $\times 2$ ' $10-1/2$ " tube with one $4 \times 3/8$ " $\times 1$ ' $8$ " fill plate and one $4 \times 3/8$ " $\times 2$ ' $9-1/2$ " fill plate "Splice Tube A".	each	\$132.2
RS-155	Galvanized 5 x 5 x 5/16" x 2' 10-1/2" tube with TWO 4 x 3/8" x 2' 9-1/2" fill plates "Splice Tube B".	each	\$136.2
RS-156	Galvanized 6 x 6 x 3/16" Top Transition Rail; 23' 0" long	each	\$414.0
RS-157	Galvanized 6 x 6 x 3/16" Bottom Transition Rail with beveled	each	\$432.4
			, .S=

	end for turn back splice tube, 23' 7 1/2" long.		
RS-158	W6 x 9 Universal Heavy Transition Post, Galvanized, 7' 4" long	each	\$ 92.57
RS-159	S3 x 5.7 Universal Weak Transition Post, Galvanized, 7' 0" long with soil plate.	each	\$ 63.25
RS-160	M20 3/4" x 8" Carriage Bolt w/nut, flat washer and lock washer	each	\$ 3.79
RS-161	3/4" x 8" Hex Bolt w/nut, 2 flat washers and lock washer	each	\$ 6.32
RS-162	3/4" Flat Washer	each	\$ .23
RS-163	M24 Anchor Stud with 4 Washers and 4 Hex nuts, 12" long	each	\$ 13.91
RS-164	M24 Anchor Stud with 4 Washers and 4 Hex nuts, 14" long	each	\$ 14.95
RS-165	M24 Anchor Stud with 4 Washers and 4 Hex nuts, 18" long	each	\$ 19.95
RS-167	3/4" Lock Washer	each	\$ .24
RS-168	3/4" Hex Nut	each	\$ .69

Expanded Supply Products, Inc.

3330 Route 9

Cold Spring, New York 10516

## **BOX BEAM & CABLE GUIDE RAIL AND ASSOCIATED HARDWARE**

Index No.	<u>Description:</u>	<u>Unit</u>	<u>Amount</u>
CABLE GUIL	DE RAILING: DRAWINGS 606-1R2 & 606-2R2		
CG-80	3/4" Round Wire Cable, three (3) strands of seven (7) wires each, AASHTO, M-30, TYPE 1, Class A	/foot	\$ .95
CG-83	Steel Turnbuckle Cable End Assembly, NYSDOT dwg. M606-2R1 Detail "A"	each	\$103.00
CG-88	Hook Bolt with shoulder & nut or 2 nuts; NYSDOT dwg. M606-1R2	each	\$ .71
CG-90	Cable Splice with wedges; NYSDOT dwg. M606.1R2;	each	\$ 70.00
CG-94	4" x 5" x 28" GS Keeper Plates	each	\$ 5.34
DDIDGE 8 C	THINGS OF TRANSITIONS		

## BRIDGE & CULVERT; POSTS, RAILINGS & TRANSITIONS

Index No.	DESCRIPTION:	<u>Unit</u>	<u>Amount</u>
U	imensions are in INCHES (in) unless otherwise noted.  BD-RL3E THRU RL5E		
nejerence.	BD-RESE TITKO RESE		
RS-166	M24 Anchor Stud price per inch over and above 18" long	each	\$ 1.00

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County.

Eleven sets of specifications of each item were sent out.

Two bids for each item were received.

Resol	ution Refe	rred to:	
Finance	$\boxtimes$	<b>Human Services</b>	
DPW	$\boxtimes$	Develop. & Ag	
Labor Relations		Strategic Planning	
Co. Operations/Pub	olic Safety		Г

## AUTHORIZING THE CHAIR TO EXECUTE CONTRACT WITH CATTARAUGUS COUNTY SOIL & WATER CONSERVATION DISTRICT FOR CONEWANGO CREEK WATERSHED OPERATION & MAINTENANCE SERVICES

Pursuant to Sections 299-m and 450 of the County Law.

I.	WHEREAS, Act 604-2017 authorized a contract with the Cattaraugus County Soil & Water
Conservation D	istrict, 8 Martha Street, P.O. Box 1765, Ellicottville, New York 14731, for the provision of
watershed mai	ntenance services for the various sites on the Conewango Creek Watershed owned by
Cattaraugus Cou	unty, the term of which expired December 31, 2017, and
II.	WHEREAS, the watershed maintenance services are necessary for 2018 and 2019, and
III.	WHEREAS, the Cattaraugus County Soil & Water Conservation District, 8 Martha Street, P.O. Box
1765, Ellicottvill	e, New York 14731, can provide the aforementioned operation and maintenance services for the
years 2018 and	2019 at an amount not to exceed \$5,000.00 per year, and
IV.	WHEREAS, sufficient funds are included to cover the cost of the aforementioned watershed
operation and n	naintenance services, now, therefore, be it
l.	RESOLVED, that the Chair of the Legislature be, and hereby is, authorized and directed to
execute a contr	act, on behalf of Cattaraugus County, with the Cattaraugus County Soil & Water Conservation
District, for the	provision of the above-described watershed operation and maintenance services, for a term
commencing Jar	nuary 1, 2018 and terminating December 31, 2019, according to the above-described terms.
Resolu Finance DPW Labor Relations Co. Operations/Pub	ution Referred to:  Human Services  Develop. & Ag  Strategic Planning  lic Safety

## AUTHORIZING THE CHAIR TO EXECUTE CONTRACT WITH TOTALLY NUTRITIOUS, LLC FOR REGISTERED DIETICIAN SERVICES AT PINES HEALTHCARE AND REHABILITATION CENTER-MACHIAS CAMPUS AND ADJUSTING VARIOUS APPROPRIATION ACCOUNTS (Department of Nursing Homes)

Pursuant to Sections 363, 366 and 450 of the County Law.

l.	WHEREAS, the Departm	nent of Nursing Homes is in need of registered d	ietician services for up to
twenty (20) hoเ	urs per week at The Pine	s Healthcare and Rehabilitation Center-Machias	Campus, and
II.	WHEREAS, Totally Nutr	itious, LLC, 360 Winspear Road, Elma, New Yor	k 14059, can provide the
aforementione	d registered dietician se	rvices for an amount of \$45.00 per hour for up	to twenty (20) hours per
week, and			
III.	WHEREAS, various app	ropriation accounts must be adjusted in order	to cover the cost of the
aforementione	d services, now, therefor	re, be it	
l.	RESOLVED, that the C	hair of the Legislature be, and hereby is, aut	horized and directed to
execute a contr	act, on behalf of Cattara	augus County, with Totally Nutritious, LLC, for th	e provision of the above
described servi	ces, for a term commen	cing February 1, 2018 and terminating Decemb	er 31, 2018, according to
the above-desc	ribed terms, and be it fu	rther	
II.	RESOLVED, that the Co	unty Administrator is hereby directed to make	the following budgetary
changes:			
• • •	priation Account:		
EI.453.4530.82	12.00002.11000	Asst Food Service Manager/Dietician	\$5,400.00
	priation Account:		
EI.453.4530.82	12.41627	Contracted Services	\$5,400.00.
Resol Finance DPW Labor Relations Co. Operations/Pul	ution Referred to: Human Services Develop. & Ag Strategic Planning		

## APPROVING CONTRACT BETWEEN CATTARAUGUS COUNTY COMMUNITY SERVICES BOARD AND HILLSIDE FAMILY OF AGENCIES FOR DEPARTMENT OF COMMUNITY SERVICES RESPITE SERVICES

Pursuant to Section 450 of the County Law.

	WHEREAS, Act 302-2017 authorized a contract with the Hillside Family of Agencies, 1183
Monroe Avenu	ie, Rochester, New York 14620, for the provision of respite services for Cattaraugus County
residents who r	receive mental health services, the term of which expired December 31, 2017, and
II.	WHEREAS, the Cattaraugus County Community Services Board, through the Department of
Community Ser	vices, is desirous of renewing the aforementioned contract, and
III.	WHEREAS, Hillside Family of Agencies can provide the aforementioned respite services for an
amount not to	exceed \$17,400.00, to be paid as invoiced, and
IV.	WHEREAS, this program is 86% state and 14% county funded, and
V.	$\label{thm:continuous} \textbf{WHEREAS, sufficient funds are included in the budget to cover the cost of the aforementioned}$
services, now, t	herefore, be it
l.	RESOLVED, that the Chair of the Legislature be, and hereby is, authorized and directed to
execute a conti	ract between the Cattaraugus County Community Services Board and Hillside Family of Agencies,
to signify the (	County's approval, for the provision of the above-described services, for a term commencing
January 1, 2018	3 and terminating December 31, 2018, according to the above-described terms, and be it further
II.	RESOLVED, that upon termination of either state or federal funding for this program, then this
program shall b	be automatically abolished, and be it further
III.	RESOLVED, that such contract shall provide that upon the reduction of any such funding, the
County, in its so	ole discretion, may terminate the contract on thirty (30) days' written notice, and be it further
IV.	RESOLVED, that in the event of any such reduction, the department head involved shall
immediately re	port such occurrence to the Chairman of the Committee to which the department is assigned,
who shall add t	he matter to the agenda of the Committee's next meeting.
Resol Finance DPW Labor Relations Co. Operations/Pul	lution Referred to:  Human Services  Develop. & Ag  Strategic Planning  blic Safety

## APPROVING CONTRACT BETWEEN CATTARAUGUS COUNTY COMMUNITY SERVICES BOARD AND CATTARAUGUS COMMUNITY ACTION, INC. FOR DEPARTMENT OF COMMUNITY SERVICES THERAPY AND SUPPORT SERVICES FOR MENTAL HEALTH CLINIC, PROS PROGRAM, AFTER HOURS ON-CALL SERVICES AND MOBILE TRANSITIONAL SUPPORT TEAM

Pursuant to Section 41.13(a)(6) of the Mental Hygiene Law and Section 450 of the County Law.

- I. WHEREAS, 637-2016 authorized a contract with Cattaraugus Community Action, Inc., for the provision of various therapy and support services for Department of Community Services mental health clinic, PROS Program, including after hours on-call crisis services and mobile transitional services, the term of which expired December 31, 2017, and
- II. WHEREAS, the Cattaraugus County Community Services Board is desirous of renewing the aforementioned contract, and
- III. WHEREAS, Cattaraugus Community Action, Inc., 25 Jefferson Street, Salamanca, New York 14779, will provide staff for various programs, for a total contract amount not to exceed \$2,091,069.00, to be paid on a monthly basis, as follows:

## Mental Health Clinic

- 19 Clinicians to perform in the capacity of Social Worker/Mental Health Therapists;
- 1 Clinical Supervisor;
- 12 personnel to perform in the following capacities: Engagement Specialist; Customer Service Representatives; Senior Customer Service Representatives; and Quality Assurance Specialist;

## PROS Program

- 3 Master's Level Mental Health Therapists to perform in the capacity of
  - o (1 FTE) Senior Mental Health Therapist; and
  - o (2 FTE) Mental Health Therapists;

## On Call

Mental Health Therapists to provide after hours on-call services;

## **Mobile Transitional Team**

(1 FTE) Mental Health Therapist to provide Mobile Transitional services,

and

- IV. WHEREAS, the cost of these services are provided through a combination of state aid, billable insurance, and County funds, now, therefore, be it
- I. RESOLVED, that the Chair of the Legislature be, and hereby is, authorized and directed to execute a contract, between the Cattaraugus County Community Services Board and Cattaraugus Community Action, Inc., to signify the County's approval, for the provision of the above-described services, for a term commencing January 1, 2018 and terminating December 31, 2018, according to the above-described terms, and be it further

II.	RESOLVED, that upon termination of either state or federal funding for this program, then this	
program shall be automatically abolished, and be it further		
III.	RESOLVED, that such contract shall provide that upon the reduction of any such funding, the	
County, in its sole discretion, may terminate the contract on thirty (30) days' written notice, and be it further		
IV.	RESOLVED, that in the event of any such reduction, the department head involved shall	
immediately report such occurrence to the Chairman of the Committee to which the department is assigned,		
who shall add the matter to the agenda of the Committee's next meeting.		
Re Finance DPW Labor Relations Co. Operations/		

## APPROVING CONTRACT BETWEEN CATTARAUGUS COUNTY COMMUNITY SERVICES BOARD AND CATTARAUGUS REHABILITATION CENTER, INC. FOR DEPARTMENT OF COMMUNITY SERVICES RESPITE SERVICES

Pursuant to Section 41.55 of the Mental Hygiene Law and Section 450 of the County Law.

l.	WHEREAS, Act 517-2016 authorized a contract with Cattaraugus Rehabilitation Center, Inc.,	
1439 Buffalo St	reet, Olean, New York 14760, for the provision of respite services for consumers of mental health	
services, the ter	m of which expired December 31, 2017, and	
II.	WHEREAS, the Cattaraugus County Community Services Board is desirous of utilizing respite	
services for consumers of mental health services, and		
III.	WHEREAS, Cattaraugus Rehabilitation Center, Inc., has agreed to provide the aforementioned	
respite services	for an amount not to exceed $$17,400.00$ , to be paid on a monthly basis, as invoiced and in	
accordance with the current rate schedule, and		
IV.	WHEREAS, this program is 86% state funded and 14% County funded, now, therefore, be it	
I.	RESOLVED, that the Chair of the Legislature be, and hereby is, authorized and directed to	
execute a con	tract, between the Cattaraugus County Community Services Board and the Cattaraugus	
Rehabilitation (	Center, Inc., to signify the County's approval, for the provision of the above-described services,	
for a term com	mencing January 1, 2018 and terminating December 31, 2018, according to the above-described	
terms, and be it further		
II.	RESOLVED, that upon termination of either state or federal funding for this program, then this	
program shall be automatically abolished, and be it further		
III.	RESOLVED, that such contract shall provide that upon the reduction of any such funding, the	
County, in its sole discretion, may terminate the contract on thirty (30) days' written notice, and be it further		
IV.	RESOLVED, that in the event of any such reduction, the department head involved shall	
immediately re	port such occurrence to the Chairman of the Committee to which the department is assigned,	
who shall add the matter to the agenda of the Committee's next meeting.		
Resolutions Resolutions Relations Relations Co. Operations/Pub	ution Referred to:  Human Services  Develop. & Ag  Strategic Planning  Slic Safety	

## SUPPORTING S.7583 AND A.9614 REGARDING EXTENSION OF DEADLINE FOR RECERTIFICATION OF LICENSES TO CARRY OR POSSESS A PISTOL OR REVOLVER UNTIL JULY 31, 2019 AND URGING ADOPTION OF SAME

Pursuant to Section 153 of the County Law.

I.	WHEREAS, the SAFE Act has imposed a deadline of January 31, 2018, for recertification of pistol	
permits issued prior to January 15, 2013, and		
II.	WHEREAS, inadvertent failure to finalize a recertification of a permit prior to the last day of	
January could le	ead to the imposition of criminal charges for possession of an unlicensed firearm for thousands of	
residents in Cattaraugus County alone, and		
III.	WHEREAS, in New York State, criminal possession of a firearm can lead to a felony conviction,	
and		
IV.	WHEREAS, legislation has been introduced in the Senate and Assembly (S.7583 and A.9614) to	
amend the Pena	al Law to extend the deadline for recertification of licenses to carry or possess a pistol or revolver	
until July 31, 2019, and		
V.	WHEREAS, it is in the best interests of the residents of Cattaraugus County to pass the	
aforementioned proposed legislation, now, therefore, be it		
l.	RESOLVED, that the Cattaraugus County Legislature hereby supports the passage of S.7583 and	
A.9614 and urges Governor Cuomo and the Senate and Assembly to adopt such legislation, and be it further		
II.	RESOLVED, that a copy of this resolution be sent to Governor Cuomo, Senate Majority Leader	
Flanagan, Sena	tor Young, Assembly Speaker Heastie, Assemblyman Giglio, the New York State Association of	
Counties (NYSAC), and the Inter-County Association of Western New York.		
Resol Finance DPW Labor Relations Co. Operations/Pub	ution Referred to:  Human Services  Develop. & Ag  Strategic Planning  Slic Safety	